

ORDINANCE NO. 103

AN ORDINANCE AMENDING SECTION 5 OF ARTICLE 3 OF THE PLUMBING CODE OF THE CITY OF PORT ST. JOE BY ADDING THERETO SECTION 5-112; PROVIDING FOR THE USE OF TYPE "L" COPPER PIPE OR GALVANIZED WATER PIPE EXTENDING FROM THE EXTERIOR OF BUILDINGS TO THE WATER METER AT THE PROPERTY LINE; ALSO, REQUIRING TYPE "L" COPPER PIPE, OR BETTER TO BE USED FOR ALL WATER LINES WITHIN THE ENCLOSED AREA OF STRUCTURES. REQUIRING PERMITS FOR PLACEMENT AND OR REPLACEMENT OF PIPE; REPEALING ALL ORDINANCES OR PARTIAL ORDINANCES IN CONFLICT HEREWITH AND PROVIDING AN EFFECTIVE DATE.

FOLLOWS: BE IT ENACTED BY THE PEOPLE OF THE CITY OF PORT ST. JOE, FLORIDA, AS

Section I. Section 5-112 of the City of Port St. Joe Code of Ordinances is hereby created to read:

- A. It shall be permissible to use galvanized water pipe and/or Type "L" copper pipe, or better, for water lines extending from the exterior of buildings to the water meter at the property line.
- B. It is required type Type "L" copper pipe or better, be used under and within all enclosed area of structures.
- C. A standard Plumbing Permit shall be required at any time that a property owner desires to place or replace water lines connecting to the City Water System.

Section II. All Ordinances or partial Ordinances in conflict herewith are hereby repealed.

Section III. This Ordinance shall take effect thirty (30) days from final adoption.

This Ordinance Introduced at this Regular Meeting of the City Commission of the City of Port St. Joe, Florida, on 6th day of February, 1979. Passed and Adopted on the 20th day of February, 1979.

CITY COMMISSION OF THE CITY OF
PORT ST. JOE, FLORIDA.

By: /s/ Frank Pate, Jr.
Frank Pate, Jr.
Mayor-Commissioner

ATTEST:

/s/ C. W. Brock
C. W. Brock
City Auditor and Clerk