AN ORDINANCE AMENDING SECTION 5 OF ARTICLE 3 OF THE PLUMBING CODE OF THE CITY OF PORT ST. JOE BY ADDING THERETO SECTION 5-112; PROVIDING FOR THE USE OF TYPE "L" COPPER PIPE OR GALVANIZED WATER PIPE EXTENDING FROM THE EXTERIOR OF THE BUILDINGS TO THE WATER METER; PROVIDING FOR THE USE OF SCHEDULE 40, OR BETTER, SOCKET WELD PVC FOR WATER LINE FROM A POINT 5 FEET FROM THE EXTERIOR OF THE BUILDING TO THE POINT OF CONNECTION WITH THE CITY WATER METER; REQUIRING TYPE "L" COPPER PIPE, OR BETTER, TO BE USED FOR ALL WATER LINES WITHIN THE ENCLOSED AREA OF STRUCTURES; REQUIRING PERMITS FOR PLACEMENT AND/OR REPLACEMENT OF PIPE; REPEALING ORDINANCE NO. 103 AND ALL OTHER ORDINANCES OR PARTS OF ORDINANCES IN CONFLICT HEREWITH, AND PROVIDING AN EFFECTIVE DATE.

- A. It shall be permissible to use galvanized water pipe and/or Type"L" copper pipe, or better, for water lines extending from the exterior of buildings to the water meter at the property line, provided, however, that from a point 5 feet from the exterior line to the point of intersection with the City water meter, the use of Schedule 40 socket weld PVC, or better, is permitted.
- B. It is required that Type "L" copper pipe, or better, be used under and within all enclosed areas of structures.
- C. A standard Plumbing Permit shall be required at any time that a property owner desires to place or replace water line connecting to the City Water System.

SECTION II. Ordinance No. 103 and all other ordinances or parts of ordinances in conflict herewith are hereby repealed.

SECTION III. This Ordinance shall take effect as provided by law.

This Ordinance INTRODUCED and READ at its regular meeting by the City Commission of the City of Port St. Joe, Florida, on September 15, 1981. ADOPTED on the <u>Sixth</u> day of October, 1981.

CITY COMMISSION OF THE CITY OF PORT ST. JOE, FLORIDA

By: /s/ Frank Pate, Jr.

Mayor-Commissioner

ATTEST: /s/ L. A. Farris
City Auditor-Clerk