2018 Annual Drinking Water Quality Report The City of Port St. Joe



We're pleased to present to you this year's Annual Water Quality Report. We are proud to report we had **no** violations of our primary water quality standards in 2018. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is surface water from the Chipola River Canal. This water is pre-treated with lime followed by enhanced coagulation and flocculation, clarification, submerged membrane micro-filtration, disinfection, pH adjustment and dosed with a corrosion inhibitor.

If you have any questions about this report or concerning your water utility, please contact Larry McClamma or Chad Mack at 850-229-1421. We encourage our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled City commission meetings. They are held on first and third Tuesdays of the month at 12:00 pm in the Commission meeting room at 2775 Garrison Ave.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

The City of Port St. Joe routinely monitors for contaminants in your drinking water according to Federal and State laws, rules, and regulations. Except where indicated otherwise, this report is based on the results of our monitoring for the period of January 1 to December 31, 2018. Data obtained before January 1, 2018, and presented in this report are from the most recent testing done in accordance with the laws, rules, and regulations.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In the table below, you may find unfamiliar terms and abbreviations. To help you better understand these terms we've provided the following definitions:

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. *Maximum Contaminant Level Goal or MCLG*: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Picocurie per liter (pCi/L) - measure of the radioactivity in water.

"ND" means not detected and indicates that the substance was not found by laboratory analysis. Parts per million (ppm) or Milligrams per liter (mg/l) – one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (\mu g/l) – one part by weight of analyte to 1 billion parts by weight of the water sample.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Nephelometric Turbidity Unit (NTU): measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in *drinking water.*

2018 TEST RESULTS TABLE

Microbiological Contaminants											
Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL Violation Y/N	The Mea	e Highest Single asurement	The Lowest Mon Percentage of San Meeting Regulatory	MCI	LG M	CL	Likely Source of Contamination		
Turbidity (NTU)	1-12/18	Ν		0.238	100		NA	Т	Т	Soil runoff	
Stage 2 Disinfectants and Disinfection By-Products											
					1	1			T		
Contaminant and Unit of Measurement	Dates of sampling (mo/yr)	Violat (Y/N	L ion N)	Level Detected	Range of Results	MCI	.G	MCL		Likely Source of Contamination	
Haloacetic Acids (HAA5) (ppb)	1-12/18	N		45.8	3.9-67.4	NA		60	By-	-product of drinking water disinfection	
Total Trihalomethanes (TTHM) (ppb)	1-12/18	Ν		63.875	22-85.9	NA		80	By-	By-product of drinking water disinfection	
Chlorine (ppm) -Stage 1	1-12/18	N		0.88	0.7-1.11	MRD 4	RDLG MR 4 4.		Wa	ater additive used to control microbes	

Inorganic Contaminants														
Contaminant an Unit of Measurement	d D sa (1	ates of impling no./yr.)	MCL y Violation Y/N		Level Detected		Range of Results		ICLG	MCL		Likely Source of Contamination		
Sodium (ppm)		4/18		N	22		NA	N/A		160		Salt water intrusion, leaching from soil		
Barium (ppm)		4/18	N		0.02		NA		2	2	Ι	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits		
Nickel (ppb)		4/18		N	3.1		NA		NA	100	Po	ollution from mining and refining operations. Natural occurrence in soil		
Lead (point of entr (ppb)	ry)	4/18		N	0.1		NA	NA		15	Re em sol	sidue from man-made pollution such as auto hissions and paint; lead pipe, casing, and lder		
Mercury (inorgani (ppb)	c)	4/18		N	0.1		NA		2	2	Ero ref rur	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland		
Nitrate (as Nitrogen) (ppm)	4	/18 & 10/18		N	0.032		ND-0.032		10	10	Ru tan	noff from fertilizer use; leaching from septic hks, sewage; erosion of natural deposits		
Nitrite (as Nitrogen) (ppm)	4	/18 & 10/18	^z N		0.023		ND-0.023		1	1	Ru tan	noff from fertilizer use; leaching from septic hks, sewage; erosion of natural deposits		
Synthetic Organic Contaminants including Pesticides and Herbicides														
Contaminant an Unit of Measurement	d D sa (r	Dates of I sampling V (mo./yr.)		1CL Le olation Det Y/N		evel	Range of Results	N	ICLG	MCL		Likely Source of Contamination		
2,4-D (ppb)		4/18		N	0.11		NA		70	70		Runoff from herbicide used on row crops		
Dalapon (ppb)		10/18		N		.7	NA		200	200 I		Runoff from herbicide used on rights of way		
Lead and Copper (Tap Water)														
Contaminant and Unit of Measurement	Dates sampli (mo./y	of ng Ez r.)	AL kceeded Y/N	led Percentile sites excer Result the A		sampling exceeding ne AL		MCLG (Ad Le		L ion el)	Likely Source of Contamination			
Copper (tap water) (ppm)	6-9/1	17	Ν	0	.15	0	of 30		1.3	1.	3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives		
Lead (tap water) (ppb)	6-9/1	17	Ν	0.4 0 of		of 30		0	15		Corrosion of household plumbing systems, erosion of natural deposits			
Radioactive Contaminants														
Contaminant an of Measurem	d Unit ent Dates of sampling (mo./yr.)		MCI Violat Y/N	ion	Level Detecte	Range d Resu	of lts	MCLG	MCL		Likely Source of Contamination			
Alpha emitters (p	Alpha emitters (pCi/L) 5/17		7	Ν	0.3		NA		0	15		Erosion of natural deposits		
Uranium(pp	b)) 5/17		N		0.888	NA		0	30		Erosion of natural deposits		
Radium 226 + 228 or combined radium (pCi/L) 5,		5/1	7	N		0.6	NA		0	5		Erosion of natural deposits		
Volatile Organic Contaminants														
Contaminant and Unit of Measurement		Date sam (mo.	of MCI ling Violat yr.) Y/N		ion	Level Detecte	Range of ed Results		MCLG	MCL	4	Likely Source of Contamination		
Xylenes (ppm)		4/18-1	1/18	N 0.00		0.00076	ND- 0.0007	6	10	10	Ι	Discharge from petroleum factories; discharge from chemical factories		

Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer. However, our system has had no violations of any MCL's in 2018.

We monitored for unregulated contaminants (UCs) in 2018 as part of a study to help the U.S. Environmental Protection Agency (EPA) determine the occurrence in drinking water of UCs and whether or not these contaminants need to be regulated. At present, no health standards (for example, maximum contaminant levels) or likely sources have been established for UCs. We are pleased to report that we had no detections of any of the contaminants tested in 2018. If you would like a copy of our 2018 UC, contact this water system at the number provided in this report. If you would like more information on the EPA's Unregulated Contaminants Monitoring Rule, please call the Safe Drinking Water Hotline at (800) 426-4791. We are also continuing monitoring in 2019. It will be published as required in our 2019 Water Quality Report. However, if you would like a copy of those results sooner, please contact Chad Mack at 850-229-6395 to get a copy as soon as they are received by us.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Port St. Joe is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Contaminants that may be present in source water include:

(A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

(B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

(C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

(D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

(E) Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

Turbidity is a measure of cloudiness of the water and has no health effects. We monitor it because it is a good indicator of the effectiveness of our filtration system. High turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches. The city had **no** turbidity exceedances in 2018.

In order to ensure that tap water is safe to drink, the EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

In 2018 the Florida Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our surface water intakes. The surface water system is considered to be at high risk because of the many potential sources of contamination present in the assessment area. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at <u>https://fldep.dep.state.fl.us/swapp/</u> or they can be obtained from Larry McClamma @ 850-229-1421.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

We at the City of Port St. Joe work diligently to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

The City of Port St. Joe is committed to insuring the quality of your water. If you have any questions or concerns about the information provided, please feel free to call any of the numbers listed.